

Socioepidemiology of Cigarette Smoking Among Cambodian Americans in Long Beach, California

Robert H. Friis · Claire Garrido-Ortega · Alan M. Safer ·
Che Wankie · Paula A. Griego · Mohammed Forouzesh ·
Kirsten Trefflich · Kimthai Kuoch

Springer Science+Business Media, LLC 2011

Abstract

Cambodian Americans in Long Beach, California, were surveyed in 2008. The survey included 1,414 Cambodian Americans aged 15 years and older. The prevalence of current cigarette smoking was 13.0%; 24.4% of current smokers were daily smokers, and 5.4% were heavy smokers. The prevalence of past cigarette smoking was 50.5%; 60% of past smokers had quit in the past 5 years. The prevalence of never smoking was 36.5%. The prevalence of current cigarette smoking was significantly higher among Cambodian Americans who were born in the United States (15.0%) compared to those born in Cambodia (11.0%). The prevalence of current cigarette smoking was significantly higher among Cambodian Americans who were born in the United States (15.0%) compared to those born in Cambodia (11.0%).

Keywords: Cambodian Americans, Cigarette smoking, Socioepidemiology, Long Beach, California

R. H. Friis (✉) · C. G. Garrido-Ortega · C. Wankie · P. A. Griego · M. Forouzesh · A. M. Safer · K. Trefflich · K. Kuoch
D. H. S. Community Health Services, California State University, Long Beach, 1250 Bell Street, Long Beach, CA 90840, USA
- friisr@csulb.edu
C. G. Garrido-Ortega
- cgarrido@csulb.edu
C. Wankie
- cwankie@csulb.edu
M. Forouzesh
- mforouzesh@csulb.edu
A. M. Safer
D. H. S. Community Health Services, California State University, Long Beach, 1250 Bell Street, Long Beach, CA 90840, USA
- safer@csulb.edu
K. T. Trefflich · K. Kuoch
California State University, Long Beach, 2390 Pacific Avenue, Long Beach, CA, USA

9. A. J. M. H. S. I. S. L. I.

B... (n = 109) ... C ... A ... [10] ... T ... C ... A ... (40.5%) ... [7] ... 32.8% ... 71.0% ... [6, 11] ... A ... REACH 2010, ... 1,026 ... L ... M ... C ... A ... US, 50.4% ... [5] ... I ... 10.9% ... 4.6 ... [5] ... I ... C ... A ... US A ... P ... I ... T ... A ... (2007) ... C ... (2005) ... 9.6% ... 12.1%, ... [12, 13] ... O ... A ... C ... A ... [8, 14] ... E ... C ... H ... I ... C ... [15] ... S ... C ... [15] ... I ... C ... A ... US ... A ... C ...

T ... C ... A ... (CAA), ... C ...

Methods

St ... S ... D ... T ... L ... A ... C ... S ... 15 ... C ... A ... [16] ...

[Redacted]

[Redacted]

[Redacted] A 100
[Redacted] 100
[Redacted] 100

[Redacted]

$\chi^2 = 35.3, P = 0.001$). A, B 59%
 A, C 88.0%;
 $\chi^2 = 4.8, P = 0.028$). T, C 79.2%
 C, K (23.8%)
 (18.8%) E, $\chi^2 = 5.0, P = 0.025$.



T
(95% CI = 4.58, 10.12)

A

T
(95% CI = 1.04, 4.74)

18 29 65

S
(95% CI = 1.05, 2.63)

30 64 65

A
2.29 (95% CI = 1.09, 4.82)

6.81

T
CI = 4.96, 14.64)

I

8.50 (95%

18 29

2.23 (95% CI =

1.66

(95% CI = 1.09,

[REDACTED]

[REDACTED]

US. O 4.0% A A
US, (2007),
[12, 20.

B
C
[25]. E
C A
C A
S C

T

C A [9, 11, 8, 15, 26].
Q C
U S U
S C A
T ()
C) K
Q
L B A, C
P L B C
A L B

[10]. G
A
C A

[Redacted]

[REDACTED]

[REDACTED]

21. L A C R D R H L A
C H S 2005. 2010. A t://
/LACHSD T, 2005. .